

SIDING PRODUCT DIRECTORY

Products

VINYL AND METAL

A p r i l 2 0 2 1



Siding • Soffit • Accessories



GENTEK®

GENTEK VINYL SIDING COLOR COLLECTION

Incorporating advanced manufacturing technologies and exciting new color formulations, our extensive color palette ensures exceptional results... design inspired and architecturally beautiful.

Classic Colors

Snow White	Monterey Sand	Pearl
Linen	Wicker	Dover Gray
Sandstone	Canyon Clay	Sage
Maize	Pebble	Juniper Grove
Almond		

Designer Colors

Majestic Brick	Meadow Fern	Storm
Dark Drift	Moonlit Moss	Chesapeake Gray
Rockport Brown	Harbor Bay	Hudson Slate
Espresso	Coastal Blue	Windswept Smoke
Musket Brown (soffit only)	Midnight Surf	Iron Ore
Smoked Timber	Marine Dusk	Black (soffit only)

INSULATED VINYL SIDING

4 SEQUOIA SELECT ENFUSION

VINYL SIDING

- 5 SEQUOIA SELECT
- 6 SEQUOIA SELECT BOARD & BATTEN
- 7 SEQUOIA SELECT EXTENDED LENGTH
- 8 SIGNATURE SUPREME
- 9 CENTENNIAL BEADED
- 10 CONCORD
- 11 AURORA II

SHAKES & SCALLOPS

12-13 FAIRHAVEN SOUND SINGLE SELECT

VINYL SOFFIT & ACCESSORIES

- 14 SEQUOIA SELECT Ultra-Premium Soffit
- 15 OXFORD Premium Soffit
- 16 BEADED Premium Soffit
- 17 FAIRWEATHER Soffit
- 18 Deep-Pocket Insulated Vinyl Accessories
- 19-25 Vinyl Accessories

ALUMINUM SIDING

- 26 CEDARWOOD
- 27 WOODGRAIN SERIES 2000
- 28 DELUXE

ALUMINUM SOFFIT, FASCIA & ACCESSORIES

- 29-30 HI-TENSILE Soffit – Poly Finish
- 31 DELUXE Fascia
- 32-34 Aluminum Accessories

STEEL SIDING

- 35 CEDARWOOD
- 36 STEELTEK SUPREME
- 37 STEELTEK
- 38 STEELSIDE
- 39 UNIVERSAL

STEEL FASCIA & ACCESSORIES

- 40 Steel Fascia
- 41-44 Steel Accessories

SEAMLESS STEEL COIL

45 SteelTek Supreme with Kynar PVDF

TRIM COIL

- 46 Steel Trim Coil
- 47-49 Aluminum Trim Coil

GUTTER COIL

50-51 Aluminum Gutter Coil

COLOR MATRIX

- 52-53 Vinyl Siding
- 54-55 Shakes & Scallops
- 54-55 Vinyl Soffit
- 56-57 Deep-Pocket Insulated Vinyl Accessories
- 58-59 Vinyl Accessories
- 60-61 Aluminum Siding, Soffit & Fascia
- 62-63 Aluminum Accessories
- 64-65 Steel Siding & Fascia
- 66-67 Steel Accessories
- 66-67 Seamless Steel Coil
- 68-69 Aluminum & Steel Trim Coil
- 70-71 Trim Coil – Competitive Brands
- 72-73 Gutter Coil

ARCHITECTURAL SPECIFICATIONS

- 74-75 Vinyl Architectural Specifications
- 76-77 Shakes & Scallops Architectural Specifications
- 78-79 Aluminum Architectural Specifications
- 80-81 Steel Architectural Specifications


Not all products are available in all markets.

PRODUCT CODE & DESCRIPTION

13570
Double 5"
Dutch Lap

3/4" Butt (19)
 Panel Projection 1-1/4" with foam
 2-5" Exposure per Panel (127/254)
 16'4" Length (4979)
 .046" Nominal Thickness
 Cedargrain Texture


Packaging:
 7 pcs. per ctn.
 .95 sq. per ctn. (8.84 m²)



13575
Double 6"
Clapboard

3/4" Butt (19)
 Panel Projection 1-1/4" with foam
 2-6" Exposure per Panel
 (152.4/304.8)
 16'8" Length (5080)
 .046" Nominal Thickness
 Cedargrain Texture

Packaging:
 6 pcs. per ctn.
 1 sq. per ctn. (9.3 m²)



For deep-pocket insulated vinyl siding accessories, see page 18.

COLORS

- Snow White
- Almond
- Dover Gray
- Canyon Clay
- Juniper Grove
- Pebble
- Sage
- Wicker
- Chesapeake Gray†
- Dark Drift†
- Harbor Bay†
- Hudson Slate†
- Meadow Fern†
- Midnight Surf†
- Moonlit Moss†
- Storm†
- Windswept Smoke†


†Designer color.

PRODUCT CODE & DESCRIPTION

13715
Double 4"
Clapboard

3/4" Butt (19)
 2-4" Exposure per Panel
 (101.6/203.2)
 12'6" Length (3810)
 .046" Nominal Thickness
 Cedargrain Texture


Packaging:
 24 pcs. per ctn.
 2 sqs. per ctn. (18.6 m²)



13714
Double 4-1/2"
Dutch Lap

3/4" Butt (19)
 2-4.5" Exposure per Panel
 (114.5/229)
 12'1" Length (3683)
 .046" Nominal Thickness
 Cedargrain Texture


Packaging:
 22 pcs. per ctn.
 2 sqs. per ctn. (18.6 m²)



13719
Double 5"
Clapboard

3/4" Butt (19)
 2-5" Exposure per Panel (127/254)
 12' Length (3658)
 .046" Nominal Thickness
 Cedargrain Texture


Packaging:
 20 pcs. per ctn.
 2 sqs. per ctn. (18.6 m²)



13741
Double 5"
Dutch Lap

3/4" Butt (19)
 2-5" Exposure per Panel (127/254)
 12' Length (3658)
 .046" Nominal Thickness
 Cedargrain Texture

Packaging:
 20 pcs. per ctn.
 2 sqs. per ctn. (18.6 m²)




COLORS

- Snow White
- Almond
- Dover Gray
- Linen
- Maize
- Monterey Sand
- Pearl
- Sandstone
- Canyon Clay
- Juniper Grove
- Pebble
- Sage
- Wicker
- Chesapeake Gray†
- Coastal Blue†
- Dark Drift†
- Espresso†
- Harbor Bay†
- Hudson Slate†
- Iron Ore†
- Majestic Brick†
- Marine Dusk†
- Meadow Fern†
- Midnight Surf†
- Moonlit Moss†
- Rockport Brown†
- Smoked Timber†
- Storm†
- Windswept Smoke†

†Designer colors not available in all markets.

PRODUCT CODE & DESCRIPTION

13373
7" Board & Batten



1/2" Batten Height (12.7)
1-1/2" Batten Width (38.1)
7" Exposure per Panel (178.5)
10' Length (3048)
.048" Nominal Thickness
Light Roughsawn Texture

Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.2 m²)

COLORS

- Snow White
- Almond
- Dover Gray
- Linen
- Maize
- Monterey Sand
- Pearl
- Sandstone
- Canyon Clay
- Juniper Grove
- Pebble
- Sage
- Wicker
- Chesapeake Gray†
- Coastal Blue†
- Dark Drift†
- Espresso†
- Harbor Bay†
- Hudson Slate†
- Iron Ore†
- Majestic Brick†
- Marine Dusk†
- Meadow Fern†
- Midnight Surf†
- Moonlit Moss†
- Rockport Brown†
- Smoked Timber†
- Storm†
- Windswept Smoke†

†Designer colors not available in all markets.

PRODUCT CODE & DESCRIPTION

13710
Double 4" Clapboard




3/4" Butt (19)
2-4" Exposure per Panel (101.6/203.2)
16'1" Length (4903)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
14 pcs. per ctn.
1.5 sqs. per ctn. (14 m²)

COLORS

- Snow White
- Almond
- Dover Gray
- Linen
- Maize
- Monterey Sand
- Pearl
- Sandstone

13742
Double 5" Dutch Lap



3/4" Butt (19)
2-5" Exposure per Panel (127/254)
16'4" Length (4979)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
11 pcs. per ctn.
1.5 sqs. per ctn. (14 m²)

- Canyon Clay
- Juniper Grove
- Pebble
- Sage
- Wicker
- Chesapeake Gray†
- Coastal Blue†
- Dark Drift†
- Espresso†
- Harbor Bay†
- Hudson Slate†
- Iron Ore†
- Majestic Brick†
- Marine Dusk†
- Meadow Fern†
- Midnight Surf†
- Moonlit Moss†
- Rockport Brown†
- Smoked Timber†
- Storm†
- Windswept Smoke†

†Designer colors not available in all markets.




SIGNATURE SUPREME® VINYL SIDING

PRODUCT CODE & DESCRIPTION

13404
Double 4"
Clapboard

5/8" Butt (15.9)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.044" Nominal Thickness
Hardwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)




COLORS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

13436
Double 4"
Dutch Lap

5/8" Butt (15.9)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.044" Nominal Thickness
Hardwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)




Canyon Clay
Juniper Grove
Pebble
Sage
Wicker
Chesapeake Gray†
Dark Drift†
Harbor Bay†
Hudson Slate†
Majestic Brick†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockport Brown†
Storm†
Windswept Smoke†

13413
Double 5"
Clapboard

5/8" Butt (15.9)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.044" Nominal Thickness
Hardwood Texture


Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)



13415
Double 5"
Dutch Lap

5/8" Butt (15.9)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.044" Nominal Thickness
Hardwood Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)



†Designer color; D5 and D5D designer colors not offered in all markets.

CENTENNIAL™ VINYL SIDING


B E A D E D

PRODUCT CODE & DESCRIPTION

13629
6-1/2" Beaded

11/16" Butt (17.5)
6-1/2" Exposure per Panel (165.1)
12'3-3/4" Length (3753)
.044" Nominal Thickness
Brushed Texture

Packaging:
30 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)



COLORS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone
Canyon Clay
Juniper Grove
Pebble
Sage
Wicker
Chesapeake Gray†
Harbor Bay†
Meadow Fern†
Rockport Brown†
Storm†


†Designer color.



CONCORD® VINYL SIDING

PRODUCT CODE & DESCRIPTION

13904 Double 4" Clapboard




1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

COLORS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

13912 Double 4" Dutch Lap




1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Canyon Clay
Juniper Grove
Pebble
Sage
Wicker

Chesapeake Gray†
Dark Drift†
Harbor Bay†
Hudson Slate†
Meadow Fern†
Storm†
Windswept Smoke†

13939 Double 5" Clapboard




1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

†Designer color; D5 and D5D designer colors not offered in all markets.

13930 Double 5" Dutch Lap



1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.042" Nominal Thickness
Light Roughsawn Texture


Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)



AURORA™ II VINYL SIDING

PRODUCT CODE & DESCRIPTION

13825 Double 4" Clapboard




7/16" Butt (11.1)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.040" Nominal Thickness
Cedargrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

COLORS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

13826 Double 4-1/2" Dutch Lap



7/16" Butt (11.1)
2-4.5" Exposure per Panel
(114.5/229)
12'1" Length (3683)
.040" Nominal Thickness
Cedargrain Texture

Packaging:
22 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Canyon Clay
Juniper Grove
Pebble
Sage
Wicker
Chesapeake Gray†
Storm†

†Designer color.



FAIRHAVEN SOUND
SINGLE SELECT SHAKES & SCALLOPS


Ultra-Premium Shakes & Scallops

PRODUCT CODE & DESCRIPTION

13988
Traditional Shake

5/8" Butt (15.9)
7" Single Exposure (177.8)
6'9" Length (2057.4)
.085" Nominal Thickness
Natural Cedar Texture
Polypropylene


Packaging:
13 pcs. per ctn.
.5 sq. per ctn. (4.65 m²)



13992
Scallop

1/2" Butt (12.7)
6-1/4" Single Exposure (158.8)
6'4" Length (1930.4)
.085" Nominal Thickness
Natural Cedar Texture
Polypropylene


Packaging:
15 pcs. per ctn.
.5 sq. per ctn. (4.65 m²)



13994
Cape Cod Shingle

1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
5'5" Length (1651)
.075" Nominal Thickness
Natural Cedar Texture
Polypropylene


Packaging:
11 pcs. per ctn.
.5 sq. per ctn. (4.65 m²)



13993
Hand-Split Shake

5/8" Butt (15.9)
9" Single Exposure (228.6)
6'4-1/2" Length (1943.1)
.100" Nominal Thickness
Polypropylene
Deep Cedargrain Texture
Staggered Bottom Edge

Packaging:
11 pcs. per ctn.
.5 sq. per ctn. (4.65 m²)



COLORS*

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

Canyon Clay
Juniper Grove
Pebble
Sage
Wicker

Chesapeake Gray†
Coastal Blue†
Dark Drift†
Espresso†

Harbor Bay†
Hudson Slate†
Iron Ore†
Majestic Brick†
Marine Dusk†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockport Brown†
Smoked Timber†
Storm†
Windswept Smoke†

†Designer color.



FAIRHAVEN SOUND
SINGLE SELECT ACCESSORIES

Ultra-Premium Shakes & Scallops

PRODUCT CODE & DESCRIPTION

14972
Traditional Shake Corner

15.86" Length (402.8)
Natural Cedar Texture

Packaging:
10 pcs. per ctn.
13.2 lineal ft. per ctn. (4 m)



14974
Hand-Split Shake Corner

20.18" Length (512.6)
Deep Cedargrain Texture

Packaging:
10 pcs. per ctn.
16.8 lineal ft. per ctn. (5.1 m)



15160
Starter Strip*

10' Length (3.1 m)

Packaging:
25 pcs. per ctn.
250 lineal ft. per ctn. (76.2 m)



No Color

*Aluminum starter strip.

13998
AccuClip

Packaging:
25 pcs. per bag
4 bags per ctn.



Stainless steel install clip secures top course of shake and scallops.

COLORS*

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

Canyon Clay
Juniper Grove
Pebble
Sage
Wicker

Chesapeake Gray†
Coastal Blue†
Dark Drift†
Espresso†


Harbor Bay†
Hudson Slate†
Iron Ore†
Majestic Brick†
Marine Dusk†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockport Brown†
Smoked Timber†
Storm†
Windswept Smoke†

†Designer color.

SEQUOIA SELECT® ULTRA-PREMIUM VINYL SOFFIT

PRODUCT CODE & DESCRIPTION

16388
12" T-4
**Solid Soffit/
 Vertical Siding**




12" Exposure per Panel (304.8)
 12' Length (3658)
 .044" Nominal Thickness
 3/4" Nominal Panel Projection
 Matte Texture

Packaging:
 16 pcs. per ctn.
 1.92 sqs. per ctn. (17.8 m²)

COLORS

Snow White
 Almond
 Dover Gray
 Linen
 Maize
 Monterey Sand
 Pearl
 Sandstone

16386
12" T-4
Soffit/Hidden Vent



12" Exposure per Panel (304.8)
 12' Length (3658)
 .044" Nominal Thickness
 3/4" Nominal Panel Projection
 Matte Texture
 10 sq. inches ventilation
 per lineal foot

Packaging:
 16 pcs. per ctn.
 1.92 sqs. per ctn. (17.8 m²)


Canyon Clay
 Juniper Grove
 Pebble
 Sage
 Wicker
 Musket Brown†

†Designer color;
 soffit use only.

OXFORD® PREMIUM VINYL SOFFIT

PRODUCT CODE & DESCRIPTION

16312
10" D-5
**Solid Soffit/
 Vertical Siding**




10" Exposure per Panel (254)
 10' Length (3048)
 .042" Nominal Thickness
 1/2" Nominal Panel Projection
 Light Roughsawn Texture

Packaging:
 24 pcs. per ctn.
 2 sqs. per ctn. (18.6 m²)

COLORS

Snow White
 Almond
 Dover Gray
 Linen
 Maize
 Monterey Sand
 Pearl
 Sandstone

16321
10" D-5
**Soffit/
 Vertical Siding**




10" Exposure per Panel (254)
 12' Length (3658)
 .042" Nominal Thickness
 1/2" Nominal Panel Projection
 Light Roughsawn Texture

Packaging:
 20 pcs. per ctn.
 2 sqs. per ctn. (18.6 m²)

Canyon Clay
 Juniper Grove
 Pebble
 Sage
 Wicker
 Black†*
 Chesapeake Gray†
 Musket Brown†*
 Storm†

†Designer color.
 *Soffit use only.

16320
10" D-5
Fully Vented Soffit




10" Exposure per Panel (254)
 12' Length (3658)
 .042" Nominal Thickness
 1/2" Nominal Panel Projection
 Light Roughsawn Texture
 5.3 sq. inches ventilation
 per lineal foot

Packaging:
 20 pcs. per ctn.
 2 sqs. per ctn. (18.6 m²)

BEADED PREMIUM VINYL SOFFIT

PRODUCT CODE & DESCRIPTION

16345 8" Solid Soffit*



8" Exposure per Panel (203.2)
12'6" Length (3810)
.042" Nominal Thickness
3/8" Nominal Panel Projection
Matte Texture


Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

*Soffit use only.

COLORS

Snow White
Linen
Monterey Sand
Canyon Clay
Juniper Grove
Pebble
Wicker

16346 8" Vented Soffit




8" Exposure per Panel (203.2)
12'6" Length (3810)
.042" Nominal Thickness
3/8" Nominal Panel Projection
Matte Texture
2.4 sq. inches ventilation
per lineal foot

Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

FAIRWEATHER® VINYL SOFFIT

PRODUCT CODE & DESCRIPTION

16550 12" T-4 Solid Soffit/ Vertical Siding




12" Exposure per Panel (304.8)
12' Length (3658)
.040" Nominal Thickness
1/2" Nominal Panel Projection
Brushed Texture

Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)

COLORS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

16570 12" T-4 Center Vented Soffit*




12" Exposure per Panel (304.8)
12' Length (3658)
.040" Nominal Thickness
1/2" Nominal Panel Projection
Brushed Texture
2.3 sq. inches ventilation
per lineal foot

Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)

*Available in Snow White only.

Canyon Clay
Juniper Grove
Pebble
Sage
Wicker
Chesapeake Gray†
Musket Brown†**
Storm†

16590 12" T-4 Fully Vented Soffit



12" Exposure per Panel (304.8)
12' Length (3658)
.040" Nominal Thickness
1/2" Nominal Panel Projection
Brushed Texture
7.1 sq. inches ventilation
per lineal foot

Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)

†Designer color.
**Soffit use only.

(For EnFusion Siding)

DEEP-POCKET INSULATED VINYL ACCESSORIES VINYL

PRODUCT CODE & DESCRIPTION


COLORS

14518
4"
Outside Corner Post with Foam

4" Face (101.6)
10' Length (3048)
Brushed Texture

See Matrix On
Pages 56-57.


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



14061
1-1/4" J-Channel with 1" Face

12' Length (3658)
Brushed Texture


Packaging:
30 pcs. per ctn.
432 lineal ft. per ctn. (131.7 m)



K661945
Easy Start Starter Strip

12'6" Length (3810)

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



ACCESSORIES VINYL

PRODUCT CODE & DESCRIPTION


COLORS

14515
3-1/2"
Outside Corner Post

3-1/2" Face (88.9)
10' Length (3048)
Brushed Texture

See Matrix On
Pages 58-59.


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



14525
3"
Outside Corner Post

3" Face (76.2)
10' Length (3048)
Brushed Texture


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



15030
Bay & Bow
Outside Corner Post

2" Face (50.8)
12'6" Length (3810)
Matte Texture


Packaging:
10 pcs. per ctn.
125 lineal ft. per ctn. (38 m)



14981
6" Designer
Outside Corner Post

6" Face (152.4)
20' Length (6096)
Brushed Texture

Packaging:
5 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



PRODUCT CODE & DESCRIPTION


COLORS

15026
7" Fluted Corner Post with Foam Insert

20' Length (6096)
 Matte Texture

See Matrix On
 Pages 58-59.


Packaging:
 5 pcs. per ctn.
 100 lineal ft. per ctn. (30.5 m)



15020
Beaded Corner Post with Foam Insert

20' Length (6096)
 Matte Texture


Packaging:
 5 pcs. per ctn.
 100 lineal ft. per ctn. (30.5 m)



14110
3/4" Inside Corner Post

10' Length (3048)
 Brushed Texture


Packaging:
 10 pcs. per ctn.
 100 lineal ft. per ctn. (30.5 m)



14098
1/2" J-Channel

12' Length (3658)
 Brushed Texture

Packaging:
 40 pcs. per ctn.
 480 lineal ft. per ctn. (146.3 m)



PRODUCT CODE & DESCRIPTION


COLORS

14057
5/8" Premium J-Channel

12' Length (3658)
 Brushed Texture

See Matrix On
 Pages 58-59.


Packaging:
 40 pcs. per ctn.
 480 lineal ft. per ctn. (146.3 m)



14095
3/4" Premium J-Channel

12' Length (3658)
 Brushed Texture


Packaging:
 40 pcs. per ctn.
 480 lineal ft. per ctn. (146.3 m)



14092
1-1/8" J-Channel

12' Length (3658)
 Brushed Texture


Packaging:
 40 pcs. per ctn.
 480 lineal ft. per ctn. (146.3 m)



14061 (Special Order)
1-1/4" J-Channel* with 1" Face

12' Length (3658)
 Brushed Texture

Packaging:
 30 pcs. per ctn.
 432 lineal ft. per ctn. (131.7 m)



*Can be used with Sequoia Select EnFusion insulated siding.

PRODUCT CODE & DESCRIPTION


COLORS

14072 (Special Order)
1-1/2" J-Channel

12' Length (3658)
Brushed Texture

See Matrix On
Pages 58-59.


Packaging:
30 pcs. per ctn.
360 lineal ft. per ctn. (109.8 m)



14093
2-1/2" Wide Face
J-Channel

12' Length (3658)
Brushed Texture

Packaging:
18 pcs. per ctn.
216 lineal ft. per ctn. (65.8 m)




14078
Undersill Trim*

12' Length (3658)
Brushed Texture

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)


*Also used as a starter strip for 5" lineal.



14995
Double Undersill Trim

12'6" Length (3658)
Smooth Texture

Packaging:
20 pcs. per ctn.
250 lineal ft. per ctn. (76.2 m)



PRODUCT CODE & DESCRIPTION


COLORS

14983
Drip Cap

12' Length (3658)
Brushed Texture

See Matrix On
Pages 58-59.

Packaging:
45 pcs. per ctn.
540 lineal ft. per ctn. (164.6 m)




14587
3-1/2" Window/Door
Surround*

3-1/2" Face (88.9)
20' Length (6096)
Matte Texture

Packaging:
5 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)

*Use with surround starter (14989).




15005
5" Window/Door
Surround*

5" Face (127)
20' Length (6096)
Matte Texture

Packaging:
10 pcs. per ctn.
200 lineal ft. per ctn. (61 m)


*Use undersill trim (14078) as starter.



14989
Surround Starter

12' Length (3658)

Packaging:
25 pcs. per ctn.
300 lineal ft. per ctn. (91.4 m)



PRODUCT CODE & DESCRIPTION

COLORS


**14980
Starter Strip***

12' Length (3658)

See Matrix On
Pages 58-59.

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)


*For Sequoia Select vinyl siding, use
aluminum starter strip (0109025)
located on page 33.



**14094
F-Channel**

12' Length (3658)
Brushed Texture


Packaging:
24 pcs. per ctn.
288 lineal ft. per ctn. (87.8 m)



**14086
3/4" F-Channel**

12'6" Length (3810)
Brushed Texture


Packaging:
32 pcs. per ctn.
400 lineal ft. per ctn. (122 m)



**14986
3/8" Soffit Cove
J-Channel**

12'6" Length (3810)
Matte Texture

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



PRODUCT CODE & DESCRIPTION


COLORS

**14099
Soffit Double Channel**

12' Length (3658)
Brushed Texture

See Matrix On
Pages 58-59.

Packaging:
20 pcs. per ctn.
240 lineal ft. per ctn. (73.2 m)





CEDARWOOD®

ALUMINUM SIDING

ALUMINUM SIDING


PRODUCT CODE & DESCRIPTION

COLORS

0010008
**Double 5"
Clapboard**

1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Length (3658)
PVDF Finish (Kynar)
Woodgrain Texture
Variegated Colors

Aspen Gray
Chestnut Brown
Maple Tan
Tawny Oak



Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)



WOODGRAIN™ SERIES 2000

ALUMINUM
SIDING

ALUMINUM SIDING


PRODUCT CODE & DESCRIPTION

COLORS

0008201
**Double 4"
Clapboard**

1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
Poly Finish
Woodgrain Texture

Bright White
Almond
Canyon Clay
Dover Gray
Sandstone
Wicker



Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)



DELUXE™

ALUMINUM SIDING

ALUMINUM SIDING


PRODUCT CODE & DESCRIPTION

COLORS

0001012
Double 4"
Clapboard

1/2" Butt (12.7)
 2-4" Exposure per Panel
 (101.6/203.2)
 12'6" Length (3810)
 Poly Finish
 Smooth Texture


Packaging:
 24 pcs. per ctn.
 2 sqs. per ctn. (18.58 m²)



0001011
8" Clapboard

1/2" Butt (12.7)
 8" Exposure per Panel (203.2)
 12'6" Length (3810)
 Poly Finish
 Smooth Texture

Packaging:
 24 pcs. per ctn.
 2 sqs. per ctn. (18.58 m²)



HI-TENSILE™ ALUMINUM SOFFIT


PRODUCT CODE & DESCRIPTION

COLORS

0520036
12" T-4
Solid

12" Exposure per Panel (304.8)
 12' Length (3658)
 Poly Finish
 Smooth Texture


Packaging:
 16 pcs. per ctn.
 1.92 sqs. per ctn. (17.8 m²)



0516036
12" T-4
Center Vented

12" Exposure per Panel (304.8)
 12' Length (3658)
 Poly Finish
 Smooth Texture
 3.9 sq. inches ventilation
 per lineal foot


Packaging:
 16 pcs. per ctn.
 1.92 sqs. per ctn. (17.8 m²)



0515036
12" T-4
Fully Vented

12" Exposure per Panel (304.8)
 12' Length (3658)
 Poly Finish
 Smooth Texture
 11.6 sq. inches ventilation
 per lineal foot

Packaging:
 16 pcs. per ctn.
 1.92 sqs. per ctn. (17.8 m²)



Bright White

Almond

Black

Bronze

Brownstone

Canyon Clay

Dover Gray

Grecian Green

Linen

Musket Brown

Norwood

Pebble

Royal Brown

Sage

Sandstone

Terratone

Thistle


Wicker

PRODUCT CODE & DESCRIPTION

0540663
16" Quad-4
Solid

16" Exposure per Panel (406.4)
12' Length (3658)
Poly Finish
Smooth Texture


Packaging:
12 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)



0540661
16" Quad-4
Center Vented

16" Exposure per Panel (406.4)
12' Length (3658)
Poly Finish
Smooth Texture
7.8 sq. inches ventilation
per lineal foot

Packaging:
12 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)



COLORS


Bright White
Almond
Brownstone
Canyon Clay
Charcoal
Dover Gray
Grecian Green
Linen
Musket Brown
Norwood
Pebble
Royal Brown
Sage
Sandstone
Terratone
Thistle
Wicker

PRODUCT CODE & DESCRIPTION

0525006
6" Fascia

12'6" Length (3810)
Poly Finish
Smooth Texture


Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



0525008
8" Fascia

12'6" Length (3810)
Poly Finish
Smooth Texture

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



COLORS

Bright White
Almond
Black
Bronze
Brownstone
Canyon Clay
Charcoal
Dover Gray
Grecian Green
Linen
Musket Brown
Norwood
Pebble
Royal Brown
Sage
Sandstone
Terratone
Thistle
Wicker

PRODUCT CODE & DESCRIPTION


COLORS

0103501
Deluxe™
Outside Corner Post

2-1/2" Face (63.5)
10' Length (3048)
Poly Finish
Smooth Texture

See Matrix On
Pages 62-63.


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



0103508
Woodgrain™
Outside Corner Post

2-1/2" Face (63.5)
10' Length (3048)
Poly Finish
Woodgrain Texture


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



0104209
3/4" J-Channel

12' Length (3658)
Poly Finish
Smooth Texture


Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)



0108609
Snap-Lock
Finish Trim

12' Length (3658)
Poly Finish
Smooth Texture

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)



PRODUCT CODE & DESCRIPTION


COLORS

0109025
2-1/2" Starter Strip

10' Length (3048)

See Matrix On
Pages 62-63.


Packaging:
50 pcs. per ctn.
500 lineal ft. per ctn. (152.4 m)



0103510
Cedarwood®
Outside Corner Post

2-1/2" Face (63.5)
10' Length (3048)
PVDF Finish (Kynar)
Woodgrain Texture
Variegated Colors


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



0104219
Cedarwood®
3/4" J-Channel

12' Length (3658)
PVDF Finish (Kynar)
Smooth Texture
Variegated Colors


Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)



0108619
Cedarwood®
Snap-Lock Finish Trim

12' Length (3658)
PVDF Finish (Kynar)
Smooth Texture
Variegated Colors

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)




PRODUCT CODE & DESCRIPTION

0199033
**Cedarwood®
 Touch-Up Paint**

Packaging:
 6 pcs. per ctn.
 Variegated Colors

COLORS


See Matrix On
 Pages 62-63.



0530002
**Reverse Frieze
 Moulding**

12'6" Length (3810)
 Poly Finish
 Smooth Texture


Packaging:
 24 pcs. per ctn.
 300 lineal ft. per ctn. (91.5 m)



0530008
1/2" Soffit J-Channel

12'6" Length (3810)
 Poly Finish
 Smooth Texture


Packaging:
 40 pcs. per ctn.
 500 lineal ft. per ctn. (152.4 m)



0530015
Drip Edge Style D

10' Length (3048)
 Poly Finish
 Smooth Texture

Packaging:
 25 pcs. per ctn.
 250 lineal ft. per ctn. (76.2 m)




PRODUCT CODE & DESCRIPTION

1718002
Double 4"

1/2" Butt (12.7)
 2-4" Exposure per Panel
 (101.6/203.2)
 12'6" Length (3810)
 PVDF Finish (Kynar)
 Woodgrain Texture
 Variegated Colors

Aspen Gray
 Chestnut Brown
 Coastal Redwood
 Maple Tan
 Tawny Oak




Packaging:
 12 pcs. per ctn.
 1 sq. per ctn. (9.29 m²)

1718001
8"

1/2" Butt (12.7)
 8" Exposure per Panel (203.2)
 12'6" Length (3810)
 PVDF Finish (Kynar)
 Woodgrain Texture
 Variegated Colors

Packaging:
 12 pcs. per ctn.
 1 sq. per ctn. (9.29 m²)





STEELTEK™
SUPREME

STEEL SIDING

STEEL SIDING WITH KYNAR® PVDF

PRODUCT CODE & DESCRIPTION

COLORS


1724004
Double 4" Clapboard

1/2" Butt (12.7)
2-4" Exposure per Panel (101.6/203.2)
12'6" Length (3810)
PVDF Finish (Kynar)
Roughsawn Texture

Bright White

Adobe
Chelsea Bluff
Chevron Smoke
Delray Sand
Dover Gray
Harbor Bay
Juniper Grove
Sable

Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



1724005
Double 5" Clapboard

1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Length (3658)
PVDF Finish (Kynar)
Roughsawn Texture

Taylor Red
Thistle
Watermill Blue


Packaging:
10 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



1724008
8" Clapboard

1/2" Butt (12.7)
8" Exposure per Panel (203.2)
12'6" Length (3810)
PVDF Finish (Kynar)
Roughsawn Texture


Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



1724012
12" Vertical Board & Batten

5/8" Batten Height (15.9)
2" Batten Width (50.8)
12" Exposure per Panel (304.8)
10' Length (3048)
PVDF Finish (Kynar)
Medium Woodgrain Texture

Packaging:
10 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



STEELTEK™ | **STEEL SIDING**

STEEL SIDING

PRODUCT CODE & DESCRIPTION

COLORS


1726102
Double 4" Clapboard

1/2" Butt (12.7)
2-4" Exposure per Panel (101.6/203.2)
12'6" Length (3810)
PVC Finish
Woodgrain Texture

Bright White

Almond
Brownstone
Canyon Clay
Dover Gray
Norwood
Sage
Thistle
Wicker


Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



1726101
8" Clapboard

1/2" Butt (12.7)
8" Exposure per Panel (203.2)
12'6" Length (3810)
PVC Finish
Woodgrain Texture

Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)




PRODUCT CODE & DESCRIPTION

1751102
**Double 4"
Clapboard**

1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
PVC Finish
Woodgrain Texture

Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)




COLORS

Bright White
Almond
Brownstone
Canyon Clay
Dover Gray
Norwood
Sage
Thistle
Wicker

1751104
**Double 5"
Clapboard**

1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Length (3658)
PVC Finish
Woodgrain Texture


Packaging:
10 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



1751101
8" Clapboard

1/2" Butt (12.7)
8" Exposure per Panel (203.2)
12'6" Length (3810)
PVC Finish
Woodgrain Texture

Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)




PRODUCT CODE & DESCRIPTION

1719010
**Universal™
Double 5"
Dutch Lap**

1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Length (3658)
PVC Finish
Woodgrain Texture

Packaging:
10 pcs. per ctn.
1 sq. per ctn. (9.29 m²)




COLORS

Bright White
Almond
Brownstone
Canyon Clay
Dover Gray
Norwood
Sage
Thistle
Wicker

1719006
**Universal™
12" Vertical
Board & Batten**

5/8" Batten Height (15.9)
2" Batten Width (50.8)
12" Exposure per Panel (304.8)
10' Length (3048)
PVC Finish
Medium Woodgrain Texture

Packaging:
10 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



PRODUCT CODE & DESCRIPTION


COLORS

1855106
6" Steel Fascia

10' Length (3048)
PVC Finish
Woodgrain Texture

See Matrix On
Pages 64-65.


Packaging:
12 pcs. per ctn.
120 lineal ft. per ctn. (36.6 m)



1855108
8" Steel Fascia

10' Length (3048)
PVC Finish
Woodgrain Texture

Packaging:
12 pcs. per ctn.
120 lineal ft. per ctn. (36.6 m)



PRODUCT CODE & DESCRIPTION


COLORS

1813526
**3/4" Outside
Corner Post**

2-1/2" Face (63.5)
10' Length (3048)
PVC Finish
Woodgrain Texture

See Matrix On
Pages 66-67.


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



1814206
3/4" J-Channel

12'6" Length (3810)
PVC Finish
Striated Texture


Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



1815011
Snap-Lock Finish Trim

12'6" Length (3810)
PVC Finish
Striated Texture


Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



1829020
2-1/2" Starter Strip

10' Length (3048)

Packaging:
26 pcs. per ctn.
260 lineal ft. per ctn. (79.3 m)




PRODUCT CODE & DESCRIPTION

COLORS

1829025 10' Length (3048)
3-1/2" Starter Strip
 Packaging:
 26 pcs. per ctn.
 260 lineal ft. per ctn. (79.3 m)


See Matrix On
 Pages 66-67.



1813540 2-1/2" Face (63.5)
SteelTek™ Supreme
Universal 3/4" Outside
Corner Post
 10' Length (3048)
 Kynar PVDF Finish
 Roughsawn Texture

2-1/2" Face (63.5)
 10' Length (3048)
 Kynar PVDF Finish
 Roughsawn Texture


Packaging:
 10 pcs. per ctn.
 100 lineal ft. per ctn. (30.5 m)



1844140 12'6" Length (3810)
SteelTek™ Supreme
1-1/8" J-Channel
 Kynar PVDF Finish
 Roughsawn Texture

12'6" Length (3810)
 Kynar PVDF Finish
 Roughsawn Texture


Packaging:
 24 pcs. per ctn.
 300 lineal ft. per ctn. (91.5 m)



1814240 12'6" Length (3810)
SteelTek™ Supreme
3/4" J-Channel
 Kynar PVDF Finish
 Roughsawn Texture

12'6" Length (3810)
 Kynar PVDF Finish
 Roughsawn Texture

Packaging:
 24 pcs. per ctn.
 300 lineal ft. per ctn. (91.5 m)




PRODUCT CODE & DESCRIPTION

COLORS

1815040 12'6" Length (3810)
SteelTek™ Supreme
Snap-Lock
Finish Trim
 Kynar PVDF Finish
 Roughsawn Texture
 Packaging:
 24 pcs. per ctn.
 300 lineal ft. per ctn. (91.5 m)

See Matrix On
 Pages 66-67.



0199044
SteelTek™ Supreme
2 oz. Touch-Up Paint
with Brush

Packaging:
 6 pcs. per ctn.



0199444
SteelTek™ Supreme
6 oz. Touch-Up
Aerosol Paint

Packaging:
 12 pcs. per ctn.

To be used with paintable accessories.




PRODUCT CODE & DESCRIPTION

COLORS

1815061
Cedarwood®
Snap-Lock Finish Trim

12'6" Lengths (3810)
 PVDF Finish (Kynar)
 Smooth Texture
 Variegated Colors

See Matrix On
 Pages 66-67.




Packaging:
 24 pcs. per ctn.
 300 lineal ft. per ctn. (91.5 m)

1813518
Cedarwood®
**3/4" Outside
 Corner Post**

2-1/2" Face (63.5)
 10' Lengths (3048)
 PVDF Finish (Kynar)
 Woodgrain Texture
 Variegated Colors


Packaging:
 10 pcs. per ctn.
 100 lineal ft. per ctn. (30.5 m)



1814218
Cedarwood®
3/4" J-Channel

12'6" Lengths (3810)
 PVDF Finish (Kynar)
 Smooth Texture
 Variegated Colors

Packaging:
 24 pcs. per ctn.
 300 lineal ft. per ctn. (91.5 m)



PRODUCT CODE & DESCRIPTION


COLORS

1890405
10.625" SteelTek™
Supreme Seamless Coil
with Kynar® PVDF
Color, 1 Side

Yields 1.90 l/ft per lb
 Kynar PVDF Finish

See Matrix On
 Pages 66-67.


Packaging:
 2 rolls per skid



1890409
13.250" SteelTek™
Supreme Seamless Coil
with Kynar® PVDF
Color, 1 Side

Yields 1.36 l/ft per lb
 Kynar PVDF Finish


Packaging:
 2 rolls per skid



1890415
10.625" SteelTek™
Seamless Coil
with Kynar® PVDF
Color, 1 Side

Yields 1.90 l/ft per lb
 Kynar PVDF Finish


Packaging:
 1 roll per skid



1890419
13.250" SteelTek™
Seamless Coil
with Kynar® PVDF
Color, 1 Side

Yields 1.36 l/ft per lb
 Kynar PVDF Finish

Packaging:
 1 roll per skid



TRIM COIL | STEEL

PRODUCT CODE & DESCRIPTION


1870007
**22.3" PVC
Color, 1 Side**

50' Length (15.24 m)
PVC Finish

Packaging:
1 roll per ctn.

COLORS

See Matrix On
Pages 68-69.



TRIM COIL | ALUMINUM

PRODUCT CODE & DESCRIPTION


0710117
**24" G8
Bright White, 1 Side**

50' Length (15.24 m)
Polyester Finish

Packaging:
1 roll per ctn.

COLORS


See Matrix On
Pages 68-69.



0737407
**24" Poly
Heavy-Duty
Bright White Over
Bright White**

50' Length (15.24 m)
Poly Finish


Packaging:
1 roll per ctn.



0737107
**24" Poly (LoMar)
Color Over Bright White**

50' Length (15.24 m)
Poly (LoMar) Finish


Packaging:
1 roll per ctn.



0735007
**24" Poly (LoMar)
White Over White**

50' Length (15.24 m)
Poly (LoMar) Finish

Packaging:
1 roll per ctn.



TRIM COIL | ALUMINUM

PRODUCT CODE & DESCRIPTION


COLORS

0710007
**24" PVC-Coated
Color, 1 Side**

50' Length (15.24 m)
PVC Finish

Packaging:
1 roll per ctn.

See Matrix On
Pages 68-69.




0714007
**24" Cedarwood®
Variegated Color Over
Solid Color**

50' Length (15.24 m)
PVDF Finish (Kynar)
Variegated Colors

Packaging:
1 roll per ctn.

Aluminum coil matching Cedarwood
aluminum and steel siding.



TRIM COIL | ALUMINUM – VALUGARD

PRODUCT CODE & DESCRIPTION


COLORS

0739010
**24" ValuGard™
Bright White Over
Bright White**

50' Length (15.24 m)
Poly Finish

Packaging:
1 roll per ctn.


See Matrix On
Pages 68-69.



0710010
**24" ValuGard™
Bright White, 1 Side**

50' Length (15.24 m)
PVC Finish

Packaging:
1 roll per ctn.



GUTTER COIL | ALUMINUM

PRODUCT CODE & DESCRIPTION

COLORS

0220015
Gutter Coil
.027" x 11.75"

Poly Finish
Packaging:
2 rolls per skid
350/700 lb per skid

See Matrix On
Pages 72-73.



0200020
Gutter Coil
.027" x 11.875"

Poly Finish
Packaging:
2 rolls per skid
350/700 lb per skid



0220012
Gutter Coil
.027" x 11.875"

Poly Finish
Packaging:
2 rolls per skid
200/400 lb per skid



0220029
Gutter Coil
.027" x 15"

Poly Finish
Packaging:
2 rolls per skid
350/700 lb per skid



PRODUCT CODE & DESCRIPTION

COLORS

0220035
Gutter Coil
.032" x 11.75"

Poly Finish
Packaging:
2 rolls per skid
350/700 lb per skid

See Matrix On
Pages 72-73.



0200040
Gutter Coil
.032" x 11.875"

Poly Finish
Packaging:
2 rolls per skid
350/700 lb per skid



0220022
Gutter Coil
.032" x 11.875"

Poly Finish
Packaging:
2 rolls per skid
200/400 lb per skid



0220050
Gutter Coil
.032" x 15"

Poly Finish
Packaging:
2 rolls per skid
350/700 lb per skid



VINYL SIDING | COLOR MATRIX

	751 Snow White	004 Almond	150 Dover Gray	449 Linen	479 Maize	673 Monterey Sand	618 Pearl	724 Sandstone	088 Canyon Clay	633 Juniper Grove	307 Pebble	624 Sage	840 Wicker
Sequoia Select EnFusion													
Double 5" Dutch Lap*	●	●	●						●	●	●	●	●
Double 6" Clapboard*	●	●	●						●	●	●	●	●
Sequoia Select													
Double 4" Clapboard	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Clapboard	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4-1/2" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap*	●	●	●	●	●	●	●	●	●	●	●	●	●
7" Board & Batten*	●	●	●	●	●	●	●	●	●	●	●	●	●
Sequoia Select Extended Length													
Double 4" Clapboard	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap*	●	●	●	●	●	●	●	●	●	●	●	●	●
Signature Supreme													
Double 4" Clapboard	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Clapboard*	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap*	●	●	●	●	●	●	●	●	●	●	●	●	●
Centennial Beaded													
6-1/2" Beaded	●	●	●	●	●	●	●	●	●	●	●	●	●
Concord													
Double 4" Clapboard	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Clapboard*	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap*	●	●	●	●	●	●	●	●	●	●	●	●	●
Aurora II													
Double 4 Clapboard"	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4-1/2" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●

Designer Colors*													
872 Chesapeake Gray	●												
625 Coastal Blue		●											
665 Dark Drift			●										
638 Espresso				●									
637 Harbor Bay					●								
873 Hudson Slate						●							
642 Iron Ore							●						
876 Majestic Brick								●					
877 Marine Dusk									●				
874 Meadow Fern										●			
652 Midnight Surf											●		
653 Moonlit Moss												●	
875 Rockport Brown													●
878 Smoked Timber													●
631 Storm													●
651 W. Smoke													●

*Designer colors not available in all markets; see your Gentek sales representative for specific color offering in your region.

SHAKES & SCALLOPS VINYL SOFFIT

	751 Snow White	004 Almond	150 Dover Gray	449 Linen	449 Maize	673 Monterey Sand	618 Pearl	724 Sandstone	088 Canyon Clay	633 Juniper Grove	307 Pebble	624 Sage
Fairhaven Sound Single Select*												
Traditional Shake	●	●	●	●	●	●	●	●	●	●	●	●
Scallop	●	●	●	●	●	●	●	●	●	●	●	●
Cape Cod Shingle	●	●	●	●	●	●	●	●	●	●	●	●
Hand-Split Shake	●	●	●	●	●	●	●	●	●	●	●	●
Traditional Shake Corner Piece	●	●	●	●	●	●	●	●	●	●	●	●
Hand-Split Shake Corner Piece	●	●	●	●	●	●	●	●	●	●	●	●
Starter Strip												
AccuClip												

	751 Snow White	004 Almond	150 Dover Gray	449 Linen	479 Maize	673 Monterey Sand	618 Pearl	724 Sandstone	088 Canyon Clay	633 Juniper Grove	307 Pebble	624 Sage
Soffit & Vertical Siding												
Sequoia Select Ultra-Premium 12"	●	●	●	●	●	●	●	●	●	●	●	●
Oxford Premium 10"	●	●	●	●	●	●	●	●	●	●	●	●
Beaded Premium 8"	●			●		●			●	●	●	
Fairweather 12"	●	●	●	●	●	●	●	●	●	●	●	●

Note: Black and Musket Brown are for soffit use only, not as vertical siding.
Beaded Premium soffit is not offered as vertical siding.
Fairweather center vented soffit is available in Snow White only.

COLOR MATRIX

	Designer Colors															
840 Wicker	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
872 Chesapeake Gray	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
625 Coastal Blue	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
665 Dark Drift	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
638 Espresso	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
637 Harbor Bay	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
873 Hudson Slate	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
642 Iron Ore	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
876 Majestic Brick	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
877 Marine Dusk	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
874 Meadow Fern	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
652 Midnight Surf	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
653 Moonlit Moss	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
875 Rockport Brown	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
878 Smoked Timber	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
631 Storm	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
651 W. Smoke	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
No Color																●

	Designer Colors			
840 Wicker	●			
048 Black		●		
872 Chesapeake Gray			●	
333 Musket Brown				●
631 Storm	●			

DEEP-POCKET INSULATED VINYL ACCESSORIES

		751 Snow White	004 Almond	150 Dover Gray	088 Canyon Clay	633 Juniper Grove	307 Pebble	624 Sage	840 Wicker
4" Outside Corner Post w/ Foam	14518	●	●	●	●	●	●	●	●
1-1/4" J-Channel	14061	●	●	●	●	●	●	●	●
Easy Start Starter Strip	K661945								

COLOR MATRIX

		Designer Colors											
	872 Chesapeake Gray	●											
	665 Dark Drift	●											
	637 Harbor Bay	●											
	873 Hudson Slate	●											
	874 Meadow Fern	●											
	652 Midnight Surf	●											
	653 Moonlit Moss	●											
	631 Storm	●											
	651 W. Smoke	●											
	No Color												●

VINYL ACCESSORIES | COLOR MATRIX

		751 Snow White	004 Almond	150 Dover Gray	449 Linen	479 Maize	673 Monterey Sand	618 Pearl	724 Sandstone	088 Canyon Clay	633 Juniper Grove	307 Pebble	624 Sage	840 Wicker
3-1/2" Outside Corner Post	14515	●	●	●	●	●	●	●	●	●	●	●	●	●
3" Outside Corner Post	14525	●	●	●	●	●	●	●	●	●	●	●	●	●
Bay & Bow Outside Corner Post	15030	●												
6" Designer Outside Corner Post	14981	●												
7" Fluted Corner Post	15026	●												
Beaded Corner Post w/Insulation	15020	●												
Inside Corner Post	14110	●	●	●	●	●	●	●	●	●	●	●	●	●
1/2" J-Channel	14098	●	●	●	●	●	●	●	●	●	●	●	●	●
5/8" Premium J-Channel	14057	●	●	●	●	●	●	●	●	●	●	●	●	●
3/4" Premium J-Channel	14095	●	●	●	●	●	●	●	●	●	●	●	●	●
1-1/8" J-Channel	14092	●	●	●	●		●	●	●	●	●	●	●	●
1-1/4" J-Channel	14061	●	●	●	●	●	●	●	●	●	●	●	●	●
1-1/2" J-Channel	14072	●	●	●	●		●	●	●		●	●	●	●
2-1/2" Wide Face J-Channel	14093	●												
Undersill Trim	14078	●	●	●	●	●	●	●	●	●	●	●	●	●
Double Undersill Trim	14995	●		●	●		●	●			●		●	
Drip Cap	14983	●	●	●	●	●		●	●	●	●	●	●	●
3-1/2" Window/Door Surround	14587	●	●			●		●	●	●	●		●	
5" Window/Door Surround*	15005	●	●			●			●	●	●		●	
Surround Starter	14989	●												
Starter Strip	14980													
5/8" F-Channel	14094	●	●	●	●	●	●	●	●	●	●	●	●	●
3/4" F-Channel	14086	●									●			
3/8" Soffit Cove J-Channel	14986	●												
Soffit Double Channel	14099	●												

Designer Colors [†]																		
048 Black	872 Chesapeake Gray	625 Coastal Blue	665 Dark Drift	638 Espresso	637 Harbor Bay	873 Hudson Slate	642 Iron Ore	876 Majestic Brick	877 Marine Dusk	874 Meadow Fern	652 Midnight Surf	653 Moonlit Moss	333 Musket Brown	875 Rockport Brown	878 Smoked Timber	631 Storm	651 W. Smoke	No Color
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

[†]Designer colors not available in all markets.

*Use undersill trim (14078) as starter for 5" surround (15005).

ALUMINUM SIDING, SOFFIT & FASCIA

	004 Almond	048 Black	068 Bright White	064 Bronze	418 Brownstone	088 Canyon Clay	379 Charcoal	151 Dover Gray	258 Grecian Green	449 Linen	333 Musket Brown	R60 Norwood	307 Pebble
Cedarwood													
Double 5" Clapboard													
Woodgrain Series 2000													
Double 4" Clapboard	●		●			●		●					
Deluxe													
Double 4" Clapboard			●										
8" Clapboard			●										
Soffit													
Hi-Tensile 12"	●	●	●	●	●	●		●	●	●	●	●	●
Hi-Tensile 16"	●		●		●	●	●	●	●	●	●	●	●
Fascia													
Deluxe 6"	●	●	●	●	●	●	●	●	●	●	●	●	●
Deluxe 8"	●	●	●	●	●	●	●	●	●	●	●	●	●

COLOR MATRIX

	736 Royal Brown	624 Sage	724 Sandstone	450 Terratone	794 Thistle	840 Wicker	Variegated Colors					
							020 Aspen Gray	107 Chestnut Brown	481 Maple Tan	775 Tawny Oak		
							●	●	●	●		

ALUMINUM ACCESSORIES | COLOR MATRIX

		004 Almond	048 Black	068 Bright White	064 Bronze	418 Brownstone	088 Canyon Clay	379 Charcoal	151 Dover Gray	258 Grecian Green	449 Linen	333 Musket Brown	R60 Norwood
Deluxe Outside Corner Post	0103501			●									
Woodgrain OCP	0103508	●		●			●		●				
3/4" J-Channel	0104209	●		●			●		●				
Snap-Lock Finish Trim	0108609	●		●			●		●				
2-1/2" Starter Strip	0109025												
Cedarwood OCP	0103510												
Cedarwood 3/4" J-Channel	0104219												
Cedarwood Snap-Lock	0108619												
Cedarwood Touch-Up Paint	0199033												
Reverse Frieze Moulding (Poly)	0530002	●	●	●	●	●	●	●	●	●	●	●	●
1/2" Soffit J-Channel (Poly)	0530008	●	●	●	●	●	●	●	●	●	●	●	●
Drip Edge Style D	0530015	●		●		●	●		●	●	●	●	●

		Variegated Colors											
		307 Pebble	736 Royal Brown	624 Sage	724 Sandstone	450 Terratone	794 Thistle	840 Wicker	020 Aspen Gray	107 Chestnut Brown	481 Maple Tan	775 Tawny Oak	No Color
					●			●					
					●			●					
					●			●					
													●
									●	●	●	●	
									●	●	●	●	
									●	●	●	●	
●	●	●	●	●	●	●	●	●					
●	●	●	●	●	●	●	●	●					
●	●	●	●	●	●	●	●	●					

STEEL SIDING & FASCIA COLOR MATRIX

	001 Adobe	004 Almond	068 Bright White	064 Bronze	418 Brownstone	088 Canyon Clay	465 Chelsea Bluff	265 Chevron Smoke	274 Delray Sand	151 Dover Gray	258 Grecian Green	637 Harbor Bay	633 Juniper Grove
Cedarwood Steel													
Double 4" Clapboard													
8" Clapboard													
SteelTek Supreme													
Double 4" Clapboard	●	●				●	●	●	●		●	●	
Double 5" Clapboard	●	●				●	●	●	●		●	●	
8" Clapboard	●	●				●	●	●	●		●	●	
12" Vertical B&B	●	●				●	●	●	●		●	●	
SteelTek													
Double 4" Clapboard		●	●		●	●				●			
8" Clapboard		●	●		●	●				●			
Steelside													
Double 4" Clapboard		●	●		●	●				●			
8" Clapboard		●	●		●	●				●			
Double 5" Clapboard		●	●		●	●				●			
Universal													
Double 5" Dutch Lap		●	●		●	●				●			
12" Vertical Board & Batten		●	●		●	●				●			
Fascia													
6", 8"		●	●	●	●	●				●	●		

	449 Linen	R60 Norwood	307 Pebble	736 Royal Brown	712 Sable	624 Sage	724 Sandstone	268 Taylor Red	450 Terratone	794 Thistle	266 Watermill Blue	840 Wicker	Variegated Colors				
													●	●	●	●	●
													●	●	●	●	●
					●			●		●	●						
					●			●		●	●						
					●			●		●	●						
					●			●		●	●						
	●					●				●	●						
	●					●				●	●						
	●					●				●	●						
	●					●				●	●						
	●					●				●	●						
	●					●				●	●						

STEEL ACCESSORIES & SEAMLESS STEEL COIL

		004 Almond	001 Adobe	068 Bright White	418 Brownstone	088 Canyon Clay	465 Chelsea Bluff	265 Chevron Smoke	274 Delray Sand
3/4" Outside Corner Post	1813526	●		●	●	●			
3/4" J-Channel	1814206	●		●	●	●			
Snap-Lock Finish Trim	1815011	●		●	●	●			
SteelTek Supreme Universal 3/4" OCP	1813540		●	●			●	●	●
SteelTek Supreme 1-1/8" J-Channel	1844140		●	●			●	●	●
SteelTek Supreme 3/4" J-Channel	1814240		●	●			●	●	●
SteelTek Supreme Snap-Lock Finish Trim	1815040		●	●			●	●	●
SteelTek Supreme 2 oz. Touch-Up Paint with Brush	0199044		●	●			●	●	●
SteelTek Supreme 6 oz. Touch-Up Aerosol Paint	0199444		●	●			●	●	●
2-1/2" Starter Strip	1829020								
3-1/2" Starter Strip	1829025								
Cedarwood Snap-Lock	1815061								
Cedarwood 3/4" OCP	1813518								
Cedarwood 3/4" J-Channel	1814218								

Seamless Steel Coil with Nynar PVDF

		001 Adobe	068 Bright White	465 Chelsea Bluff	265 Chevron Smoke	274 Delray Sand	151 Dover Gray
SteelTek Supreme 10.625" Seamless Coil (2 rolls/skid)	1890405	●	●	●	●	●	●
SteelTek Supreme 13.250" Seamless Coil (2 rolls/skid)	1890409	●	●	●	●	●	●
SteelTek Supreme 10.625" Seamless Coil (1 roll/skid)	1890415	●	●	●	●	●	●
SteelTek Supreme 13.250" Seamless Coil (1 roll/skid)	1890419	●	●	●	●	●	●

COLOR MATRIX

		151 Dover Gray	637 Harbor Bay	633 Juniper Grove	R60 Norwood	712 Sable	624 Sage	268 Taylor Red	794 Thistle	266 Watermill Blue	840 Wicker	No Color	Variegated Colors						
		●			●		●		●		●								
		●			●		●		●		●								
		●			●		●		●		●								
		●	●	●		●		●	●	●									
		●	●	●		●		●	●	●									
		●	●	●		●		●	●	●									
		●	●	●		●		●	●	●									
												●							
												●							
													●	●	●	●	●	●	●
													●	●	●	●	●	●	●
													●	●	●	●	●	●	●
													●	●	●	●	●	●	●

		637 Harbor Bay	633 Juniper Grove	712 Sable	268 Taylor Red	794 Thistle	266 Watermill Blue
		●	●	●	●	●	●
		●	●	●	●	●	●
		●	●	●	●	●	●
		●	●	●	●	●	●
		●	●	●	●	●	●

TRIM COIL COLOR MATRIX

Solid Color Trim Coil

Aluminum 24"

		001 Adobe/Monterey Sand	004 Almond	412 Antique Parchment	048 Black	068 Bright White	064 Bronze	066 Brown	418 Brownstone	587 Burgundy	088 Canyon Clay	391 Cape Cod Gray	379 Charcoal	465 Chelsea Bluff	872 Chesapeake Gray	265 Chevron Smoke	625 Coastal Blue	095 Dark Charcoal	665 Dark Drift	274 Delray Sand
G8	0710117	●		●	●	●		●		●	●									
Poly H.D.	0737407					●														
Poly (LoMar)	0737107	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Poly (LoMar)	0735007																			
PVC	0710007	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
ValuGard (Poly)	0739010					●														
ValuGard (PVC)	0710010					●														
Steel																				
PVC	1870007	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Solid Color Trim Coil (continued)

Aluminum 24"

		624 Sage	724 Sandstone	878 Smoked Timber	631 Storm	268 Taylor Red	450 Terratone	794 Thistle	R26 Vintage Cream	415 Vintage Wicker	266 Watermill Blue	870 Wedgewood Blue	885 White	640 Wicker	651 W. Smoke
G8	0710117	●							●	●					
Poly H.D.	0737407														
Poly (LoMar)	0737107	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Poly (LoMar)	0735007											●			
PVC	0710007	●	●	●	●		●	●	●	●	●	●	●	●	●
ValuGard (Poly)	0739010														
ValuGard (PVC)	0710010														
Steel															
PVC	1870007	●	●	●	●	●	●	●	●	●	●	●	●	●	●

		151 Dover Gray	638 Espresso	223 Forest Green	258 Grecian Green	637 Harbor Bay	873 Hudson Slate	642 Iron Ore	633 Juniper Grove	449 Linen	479 Matze	876 Majestic Brick	877 Marine Dusk	874 Meadow Fern	652 Midnight Surf	653 Moonlit Moss	333 Musket Brown	411 Mystic Blue	040 Natural Linen	R60 Norwood	566 Old World	601 Pacific Blue	618 Pearl	307 Pebble/Natural Clay	401 Platinum Gray	688 Red	875 Rockport Brown	736 Royal Brown	712 Sable	
								●										●	●					●						
		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
		●	●																	●	●			●	●	●	●	●	●	●

Variegated Colors

Cedarwood® Variegated Trim Coil (matches Cedarwood aluminum and steel siding)

		020 Aspen Gray	107 Chestnut Brown	116 Coastal Redwood	481 Maple Tan	775 Tawny Oak
--	--	----------------	--------------------	---------------------	---------------	---------------

Cedarwood Aluminum 24"

PVDF (Kynar)	0714007	●	●	●	●	●
--------------	---------	---	---	---	---	---

Cedarwood Steel 10.3"

PVDF (Kynar)	1871031	●	●	●	●	●
--------------	---------	---	---	---	---	---

Trim Coil Matching Exterior Window Colors

		378 American Terra	067 Architectural Bronze	277 Camel/A. Window Beige	262 Castle Gray	472 Desert Clay	264 English Red	517 Hudson Khaki	693 Sand Dune	699 Silver	263 Window Forest Green
--	--	--------------------	--------------------------	---------------------------	-----------------	-----------------	-----------------	------------------	---------------	------------	-------------------------

G8	0710117	●	●	●	●	●	●	●	●	●	●
----	---------	---	---	---	---	---	---	---	---	---	---

Poly (LoMar)	0737107	●	●	●	●	●	●	●	●	●	●
--------------	---------	---	---	---	---	---	---	---	---	---	---

PVC	0710007	●	●	●	●	●	●	●	●	●	●
-----	---------	---	---	---	---	---	---	---	---	---	---

Trim Coil Identification By Product Code

Aluminum Coil

24" G8	0710117	= Bright White, 1 Side
24" Poly Heavy Duty	0737407	= Bright White Over Bright White
24" Poly (LoMar)	0737107	= Color Over Bright White
24" Poly (LoMar)	0735007	= White Over White
24" PVC	0710007	= Color, 1 Side
24" ValuGard (Poly)	0739010	= Bright White Over Bright White
24" ValuGard (PVC)	0710010	= Bright White, 1 Side
24" Cedarwood (PVDF/Kynar)	0714007	= Variegated Color Over Solid Color

Steel Coil

22.3" PVC	1870007	= Color, 1 Side
10.3" Cedarwood Steel (PVDF/Kynar)	1871031	= Color, 1 Side

ALUMINUM 24" TRIM COIL COLOR MATRIX

Siding	Poly (LoMar) 0737107	PVC 0710007
Certainteed		
633 CT Cypress	●	●
355 CT Desert Tan	●	●
653 CT Forest	●	●
362 CT Granite Gray	●	●
354 CT Heritage Cream	●	
316 CT Herringbone	●	●
327 CT Ivy Green	●	●
350 CT Light Maple	●	
309 CT Natural Clay	●	●
601 CT Pacific Blue	●	●
712 CT Sable Brown	●	●
724 CT Sandstone Beige	●	●
840 CT Savannah Wicker	●	●
624 CT Seagrass	●	●
068 CT Snow	●	●
639 CT Spruce	●	●
365 CT Sterling Gray	●	
592 CT Terra Cotta	●	●
725 CT Warm Sand	●	●
Exterior Portfolio		
316 C Bone	●	●
307 C Clay	●	●
462 C Country Beige	●	●
470 C Cypress	●	●
591 C Desert	●	●
336 C Driftwood	●	●
329 C Espresso	●	●
651 C Graphite	●	●
362 C Greystone	●	●
471 C Harbor Blue	●	●
326 C Honey Oak	●	●
465 C Ivory	●	●
688 C Lighthouse Red	●	●
725 C Mocha	●	●
592 C Nutmeg	●	●
590 C Olive	●	●
412 C Pearl	●	●
574 C Regatta Blue	●	●
472 C Rye	●	●
475 C Saddle	●	●
652 C Slate	●	●
327 C Stratford Blue	●	●
460 C Wheat	●	●

COMPETITIVE BRANDS

Siding (continued)	Poly (LoMar) 0737107	PVC 0710007
Mastic		
004 MT Almond	●	●
724 MT Cameo	●	●
479 MT Classic Cream	●	●
001 MT Desert Clay	●	●
333 MT Musket Brown	●	●
307 MT Pebblestone	●	●
618 MT Silver Gray	●	●
336 MT Victorian Gray	●	●
Royal		
329 RC Bark	●	●
412 RC Linen	●	●
652 RC Midnight Surf	●	●
666 RC Natural Cedar	●	●
120 RC Redwood	●	●
326 RC Sable	●	●
001 RC Sand	●	●
653 RC Shamrock	●	●
350 RC Soft Maple	●	
618 RC Sterling	●	●
R26 RC Vintage Cream	●	●
522 RC Walnut	●	

Windows	Poly (LoMar) 0737107
Andersen	
A10 AN Black/AN White	●
A03 AN Canvas/AN White	●
A05 AN Cocoa Bean/AN White	●
A08 AN Dark Bronze/AN White	●
A09 AN Forest Green	●
A11 AN Red Rock/AN White	●
A07 AN Sandstone/AN White	●
A06 AN Terratone/AN White	●
A02 AN White/AN White	●

GUTTER COIL | COLOR MATRIX

Gutter Coil			004 Almond	048 Black	064 Bronze	418 Brownstone	088 Canyon Clay	151 Dover Gray	258 Grecian Green	449 Linen	333 Musket Brown	F60 Norwood	307 Pebble
.027 x 11.75	0220015	350 lbs											
.027 x 11.875	0200020	350 lbs											
.027 x 11.875	0220012	200 lbs	●	●	●	●	●	●	●	●	●	●	●
.027 x 15	0220029	350 lbs											
.032 x 11.75	0220035	350 lbs											
.032 x 11.875	0200040	350 lbs											
.032 x 11.875	0220022	200 lbs	●	●	●	●	●	●	●	●	●	●	●
.032 x 15	0220050	350 lbs											

736 Royal Brown	624 Sage	724 Sandstone	450 Terratone	794 Thistle	906 White – Hi-Gloss	905 White – Lo-Gloss	840 Wicker
					●	●	
●	●	●	●	●			●
					●	●	
					●	●	
●	●	●	●	●			●
					●	●	

GENTEK VINYL SIDING AND SOFFIT

Produced to precise tolerances using formulated compounds specifically designed for the plastic building products industry according to ASTM D4216, meeting or exceeding the following:

Property	ASTM Test	Results
Tensile Strength (psi)	D-638	6,700
Modulus of Elasticity (psi)	D-638	410,000
Izod Impact (70°F)	D-256	3.6 (ft-lb/in of notch)
Izod Impact (32°F)	D-256	2.0 (ft-lb/in of notch)
Flexural Strength (psi)	D-790	14,000
Coefficient of Linear Expansion	D-696	5.3 x 10 ⁻⁵ (mm/mm °C) 2.9 x 10 ⁻⁵ (in/in °F)
Deflection Temperature Under Load 264 psi (°C)	D-648	73

PRODUCT PHYSICALS

All siding products, soffit panels and accessories are made with solid color throughout. The siding products and accessories meet or exceed the ASTM Specification for Rigid Poly Vinyl Chloride (PVC) Siding D3679. All soffit products and associated accessories meet or exceed the ASTM Specification for Rigid (Unplasticized) Poly Vinyl Chloride (PVC) Soffit D4477.

The siding and soffit compound meets Class 2 requirements and conforms to weathering performances as described in ASTM 3679.

Color: Spectrophotometer controlled
Gloss: Gardner gloss meter controlled
Lock: Dimensionally controlled

All products meet or exceed ASTM 3679 thickness (nominal) requirements:

Sequoia Select EnFusion	0.046"
Sequoia Select	0.046"
Sequoia Select Extended	0.046"
Sequoia Select Board & Batten	0.048"
Centennial Beaded	0.044"
Signature Supreme	0.044"
Concord	0.042"
Aurora II	0.040"
Sequoia Select Ultra-Premium Soffit	0.044"
Oxford Premium Soffit	0.042"
Beaded Premium Soffit	0.042"
Fairweather Soffit	0.040"

WARRANTY

All Gentek vinyl siding brands carry a Lifetime Limited Warranty including fade and hail protection. *Warranty is transferable if the home is sold. See printed warranty for complete details.*

SOFFIT VENTILATION AREA

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit is as follows:

12" Sequoia Select Ultra-Premium Vented	10 sq in
10" Oxford Fully Vented	5.3 sq in
8" Beaded Vented	2.4 sq in
12" Fairweather Center Vented	2.3 sq in
12" Fairweather Fully Vented	7.1 sq in

FIRE RESISTANCE RATINGS

Gentek vinyl siding products meet or exceed all building code requirements throughout the United States and Canada. In addition to meeting these code requirements, Gentek vinyl sidings have been fire rated by Underwriters Laboratories (UL) to be used in one-hour rated designed walls U026 and U032 and a two-hour rated wall, U301. UL inspects the manufacture of the vinyl products quarterly to certify that Gentek vinyl products are manufactured consistently. The vinyl products have been tested as follows:

Property	ASTM Test	Results
Average Burn Distance	D-635	20mm
Average Burn Time	D-635	<5 seconds
Flash Ignition Temperature	D-1929	752°F
Self Ignition Temperature	D-1929	860°F
Flame Spread Index	E-84	15
Smoke Developed Index	E-84	<400
Fire Resistance	E-119	1-hour rated* 2-hour rated*

*See UL Fire Resistance Directory Control No. 1N60. E-119 is equivalent to UL-263 and E-84 is equivalent to UL-723.

Important fire safety information for the building trades, specifiers, professionals and do-it-yourself installers:

When rigid vinyl siding is exposed to significant heat or flame, the vinyl will soften, sag, melt, or burn and may thereby expose the material underneath. Care must be exercised when selecting underlay materials because many underlays are made from organics that are combustible. You should ascertain the fire properties of any underlay prior to installation. All building materials should be installed in accordance with local, state and federal building codes and fire regulations.

WINDLOAD PROPERTIES

All Gentek siding products are designed to withstand a minimum of 100 mph windloads and are suitable for most areas. The products can be used in areas with higher windloads, but installation procedures, choice of product and building code jurisdiction are important factors to be considered. The windspeed rating (in mph) is calculated using VSI's windspeed calculation guidelines. Additional information is available if required.

BUILDING CODES

Gentek vinyl products meet or exceed the following building code specifications:

ICC-ESR – 1133
CCMC – 06541-L
New York City MEA 132-94-M
FHA/HUD Minimum Property Standards

GENTEK SHAKES AND SCALLOPS

Gentek shakes and scallops are produced from a modified (ASTM 5630) outdoor polypropylene copolymer, also known as a reinforced thermoplastic polyolefin (TPO). Produced to precise tolerances using formulated compounds specifically designed for exterior applications, meeting or exceeding the following:

Property	ASTM Test	Results
<i>Tensile Strength @ Yield (psi)</i>	<i>D-638</i>	<i>3,000</i>
<i>Izod Impact (23°C)</i>	<i>D-256</i>	<i>2.5 (ft-lb/in of notch)</i>
<i>Flexural Modulus (psi)</i>	<i>D-790</i>	<i>200,000</i>
<i>Gardner Impact (23°C)</i>	<i>D-5420</i>	<i>180 (in-lb)</i>
<i>Windload</i>	<i>5206</i>	<i>205 mph Traditional Shake 267 mph Scallop 214 mph Cape Cod Shingle 217 mph Hand-Split Shake</i>

PRODUCT PHYSICALS

The material has a solid color throughout and is UV stabilized. Shakes and scallops are continually tested for weatherability in both light and darker colors.

Material thickness:

- Traditional Shake: 0.085"
- Scallop: 0.085"
- Cape Cod Shingle: 0.075"
- Hand-Split Shake: 0.100"

Color: Spectrophotometer controlled

Traditional Shake

- 7" panel (single course) exposure by 81" exposure
- 26 panels per 100 sq ft coverage
- Panel weight of 3.07 lb
- Natural cedar texture

Scallop

- 6-1/4" panel (single course) exposure by 76" exposure
- 30 panels per 100 sq ft of coverage
- Panel weight of 2.3 lb
- Natural cedar texture

Cape Cod Shingle

- 10" panel (double course) exposure by 65" exposure
- 22 panels per 100 sq ft coverage
- Panel weight of 3.2 lb
- Natural cedar texture

Hand-Split Shake

- 9" panel (single course) exposure by 76.5" exposure
- 22 panels per 100 sq ft of coverage
- Panel weight of 4.1 lb
- Deep cedargrain texture
- Staggered bottom edge

WARRANTY

Lifetime Limited Transferable Warranty. See printed warranty for complete details.

FIRE SAFETY

When polypropylene material is exposed to considerable heat or flame the polypropylene will soften, melt or burn and may possibly expose the material underneath. Care needs to be taken when selecting underlayment materials because many are made from organic materials that are combustible. Fire properties of underlayment materials must be established prior to their installation. All burning materials should be installed in accordance with local, state (provincial) and federal fire regulations and building codes.

INSTALLATION

Complete installation instructions for shakes and scallops are available. Please review prior to installation.

GENTEK ALUMINUM SIDING AND SOFFIT
ALUMINUM METAL PROPERTIES

<i>Alloy or Equivalent</i>	<i>3000 series</i>
<i>Specific Gravity</i>	<i>2.72</i>
<i>Minimum Ultimate Strength (KSI)</i>	<i>25</i>
<i>Minimum Yield (KSI)</i>	<i>22</i>
<i>Minimum Elongation (%)</i>	<i>4</i>
<i>Modulus of Elasticity (KSI)</i>	<i>10,000</i>
<i>Coefficient of Thermal Expansion (in/in °F)</i>	<i>0.0000131</i>
<i>Melting Range (°F)</i>	<i>1175-1210</i>
<i>Thermal Conductivity at 77°F (btu-in/ft²-hr-°F)</i>	<i>1190</i>

COATING PROPERTIES

Gentek aluminum siding products are manufactured with AA3000 series alloy or equivalent. Both sides of the aluminum sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated aluminum is then coated with one of the following:

Polyester (Poly) Topcoat: This thermoset polymer resin is cured at 450°F forming a hard, flexible, mar resistant and weatherable coating. The coating thickness is 0.8 mil.

A corrosion-resistant polymer (i.e., primer) is applied to the pretreated aluminum and then top coated with one of the following polymeric systems:

Plastisol (PVC) Topcoat: This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused on the aluminum metal at temperatures of 390°F. The coating is applied either with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

Fluoropolymer (PVDF₂): This thermoplastic polymer has excellent chemical and fade resistance. The coating is applied at 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar 500® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF₂. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar 500 and Hylar 5000 specifications.

WARRANTY

All Gentek aluminum siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

CONTACT WITH DISSIMILAR MATERIALS AND CORROSIVE ENVIRONMENTS

Direct contact of aluminum products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of aluminum with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips. Seacoast or other corrosive environments may result in corrosion of the product.

PRODUCT PHYSICALS

Product	Coating Type	Thickness
<i>Cedarwood</i>	<i>PVDF₂</i>	<i>0.024</i>
<i>Woodgrain Series 2000</i>	<i>Poly</i>	<i>0.019</i>
<i>Deluxe 4"</i>	<i>Poly</i>	<i>0.019</i>
<i>Deluxe 8"</i>	<i>Poly</i>	<i>0.024</i>
<i>Hi-Tensile Soffit</i>	<i>Poly</i>	<i>0.016</i>
<i>Deluxe Fascia</i>	<i>Poly</i>	<i>0.024</i>
<i>HD Trim Coil</i>	<i>Poly</i>	<i>0.024</i>
<i>Trim Coil</i>	<i>Poly</i>	<i>0.019</i>
<i>Trim Coil</i>	<i>PVC</i>	<i>0.019</i>

SOFFIT VENTILATION AREA

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit are as follows:

Profile	Vent	NFOA (in²/foot)
<i>16" 4 Panel</i>	<i>Center Vent</i>	<i>7.8</i>
<i>12" 3 Panel</i>	<i>Center Vent</i>	<i>3.9</i>
	<i>Full Vent</i>	<i>11.6</i>

BUILDING CODES

Gentek aluminum products meet or exceed the following building code specifications:

ICC-ES Legacy – Report #97-64

AAMA 1402-86

FHA/HUD Minimum Property Standards

GENTEK STEEL SIDING
METAL PROPERTIES

<i>Steel or Equivalent</i>	AZ-50
<i>Specific Gravity</i>	7.8
<i>Minimum Ultimate Strength (KSI)</i>	45-55
<i>Minimum Yield (KSI)</i>	40-50
<i>Minimum Elongation (%)</i>	25-35
<i>Modulus of Elasticity (KSI)</i>	29,500
<i>Coefficient of Thermal Expansion (in/in °F)</i>	0.000006
<i>Melting Range (°F) Steel</i>	>2700
<i>Melting Range (°F) Zinc</i>	786
<i>Thermal Conductivity at 77°F (btu-in/ft²-hr-°F)</i>	555

COATING PROPERTIES

Gentek steel siding products are manufactured with AZ-50. Both sides of the steel sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated surface is coated with a thermoset corrosion-resistant polymer. This corrosion-resistant polymer is topcoated with the following polymeric systems:

Plastisol (PVC) Topcoat: This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused at temperatures of >390°F. The coating is applied with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

Fluoropolymer (PVDF₂): This thermoplastic polymer has excellent chemical and fade resistance. The coating thickness is 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar 500® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF₂. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar 500 and Hylar 5000 specifications.

WARRANTY

All Gentek steel siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

CONTACT WITH DISSIMILAR MATERIALS

Direct contact of steel products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of steel with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips.

PRODUCT PHYSICALS

Product	Coating Type	Thickness*
<i>Cedarwood</i>	<i>PVDF₂</i>	<i>0.017</i>
<i>SteelTek Supreme</i>	<i>PVDF₂</i>	<i>0.017</i>
<i>SteelTek Supreme Seamless Steel Coil</i>	<i>Kynar® PVDF</i>	<i>0.017</i>
<i>SteelTek</i>	<i>PVC</i>	<i>0.017</i>
<i>SteelSide</i>	<i>PVC</i>	<i>0.017</i>
<i>Universal</i>	<i>PVC</i>	<i>0.017</i>
<i>*29 Gauge</i>		

BUILDING CODES

Gentek steel products meet or exceed the following building code specifications:

ICC-ES Legacy – Report #97-64

AAMA 1406-86

FHA/HUD Minimum Property Standards

gentekinc.com



GENTEK[®]
GENTEK BUILDING PRODUCTS, INC.

3773 State Road, Cuyahoga Falls, Ohio 44223
www.gentekinc.com

Make us a part of your home.



Due to product changes, improvements and other factors, Gentek reserves the right to change or delete information contained herein without prior notice. Kynar is a registered trademark of Arkema Inc. Galvalume is a registered trademark of BIEC International Inc. HYLAR 5000 is a registered trademark of Ausimont USA, Inc. USGBC and related logo is a trademark owned by the U.S. Green Building Council.
Effective Date: April 2021

