

A division of CenDek Railings Ltd.



safety & durability



A division of CenDek Railings Ltd.



Engineered 10mm Glass Railing

- Unique integrated post channel allows glass to pivot up to 22.5 degrees
- 10mm thick tempered glass
- · Clear, tinted or privacy glass options
- Structural U Channel top cap with gasket
- · Incredible views & a very high end look
- · Surface or fascia mount
- 24" Posts
- Available in several color choices



Wind/Privacy Systems

- Decks, Restaurant Patios and more...
- For that added touch
- Up to 72" tall
- Superior powder coating for a long lasting durable finish
- Available in several color choices




Pipe Handrail

- Engineered for Safety & ease of installation
- Heavy Duty Construction
- Schedule 40 pipe
- ADA compliant
- No exposed welds
- · Available in several color choices
- Versatility is key




Traditional Glass Railing

- · Continuous top rail
- Ultimate views
- 5mm or 6mm tempered glass
- · Clear, tinted or privacy glass options
- · Available in several color choices
- Surface or fascia mount



Picket Railing

- · Continuous top rail
- · Component or welded
- Deck rail or stair rail
- Pre-punched, one piece bottom rail no unsightly picket spacers
- Available in several color choices
- 5/8" or 1 1/2" pickets available
- Surface or fascia mount



Ornamental & Mid Rail Welded Panels

- Unique look
- Superior strength
- Welded design
- · Ornamental mid rail shown
- Special order
- Available in several color choices





Fascia Post Brackets


- DekSmart Railings can be surface or fascia mounted
- Available in both 1 3/4" and 2 1/2" post sizes only
- · We do custom angles too
- Powder coated to match post color

Code Compliant

- Our railing systems comply with load requirements for National Building Code 2015 (NBC2015), BCBC2018, ABC2019, OBC 2012, Part 9.8.8.2 & Part 4.1.5.14 Loads on Guards/Handrails
- 2015 International Building Code (IBS), Section 1607.8.1
 Handrails and Guards
- 2015 International Residential Code (IRC), Section R301.5 Live Load
- All glass conforms to Can/CGBS-12.1



Top Rail Profiles



Post and Picket Options

Powder Coating

 Our modern pre-treatment and spray facility ensures that our coatings comply to ASTMB117-97 (3000 hr. salt spray adhesion) and A.A.M.A.4 2604 color uniformity, film adhesion, impact and chemical resistance criteria




9685 Agur St, Summerland BC, V0H 1Z2 PH: 778-516-6000 | TF: 1-877-810-4841 Email: info@cendekrailings.com deksmartrailings.com






Your Authorized Dealer





DEKSMART ULTRA PRODUCTS

The Deksmart Ultra PVC system offers a large selection of approved roofing grade decking membranes. With a wide selection of design styles and colors, you are sure to find a product to meet your specific needs. Engineered and certified to meet CCMC (Evaluation report 13534-R) and CGSB(PRI - CMT Project No.: DKSM-001-02-01) roofing standards for polyvinyl chloride membranes.






Hansberry


DEKSMART ULTRA SMOOTHBACK PRODUCTS

The Deksmart 3 Ply smoothback system meets the same roofing standards as the Deksmart Ultra series, but provides an alternative where smoothback systems are required.




DEKSMART EXCEL PRODUCTS

The Deksmart Excel products are an excellent choice to make your patio or sundeck 100% waterproof and maintenance free. Suitable for applications where roofgrade vinyls are not required.



Antique Beige



Dove Grey



- ► HOME
- ► TESTING & TECHNICAL
- ► ABOUT US
- ► CONTACT US
- ► VINYL DECKING PRODUCTS