

1-888-810-7663



sales@diamondroof.on.ca



Home

Info & Products

Your Vision

Installation & FAQs

Contact Us



## Diamond Steel Roofing's History

Applying 30 years of construction knowledge and creative experiences working with the highest quality craftspeople, steel and colour finishes Diamond Steel Shingles provide a one kind product suitable for any application.

In North America metal roofing was one of the primary forms of roofing from 1890 to 1920 and many of those roofs are still protecting the homeowners' investments today. We estimate life expectancy of our shingles conservatively at 50 years, but have reason to expect nearly twice that life span.


Murray is proud that the ardent do-it-yourselfer, as well as the industry professional, appreciates the simple design that requires no special installation tools.

For an interesting read from 1998 check out this local newspaper write up on Diamond Steel Roofing.



## Our Products

The Diamond Steel Roofing Team - many of whom have been involved from the beginning - manufacture and quality check each and every piece at the production plant in Wingham, Ontario, Canada.



Erro  
Page

Diamond Shingle

Rectangle Shingle





Custom Shingles




COMING SOON!

## Diamond Shingles





The Diamond Shingle is a 16" x 16" shingle, covering 1.72 square feet and made from 0.018" (28 gauge) galvanized steel with interlocking hems on all four sides. Each shingle has a clip with four pre punched holes for fastening the standard 1-1/4" galvanized roofing nail, which allows our product to be completely seamless, with no exposed fasteners. Diamond Shingles also do not require strapping and are installed directly to the deck of the roof which results in easier and faster installation.



## Rectangle Shingles





The Rectangular Shingle is 33.75" x 10.15", covering 2.38 square feet and made from 0.018" (28 gauge) galvanized steel with interlocking hems on all four sides. Each shingle has a 3/4" nailing flange for fastening the standard 1-1/4" galvanized roofing nail, which allows this product to be completely seamless, with no exposed fasteners. Our Rectangular Shingle also does not require any strapping and is installed directly to the deck of the roof, and uses the quarter step back pattern, which allows for easier and faster installation.



## Custom Shingles

We're proud to offer a multitude of custom colours, sizes and styles.



# COMING SOON!

We will be offering a superior steel product with limited availability, perfect for projects requiring high corrosion resistance!