




TOTAL PROTECTION SIMPLIFIED™

It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to perform in three critical areas. The Owens Corning® Total Protection Roofing System® gives you the assurance that all of your Owens Corning® roofing components are working together to help increase the performance of your roof.



Product Attributes

Warranty Length*

Limited Lifetime†
(for as long as you own your home)

Wind Resistance Limited Warranty*

177/209 KM/H (110/130 MPH)‡

Algae Resistance Limited Warranty*

25 Years

TRU PROtection® Non-Prorated Limited Warranty* Period

10 Years



Product Specifications

Size	13¼" x 39½"
Application Exposure	5½"
Shingles per Bundle	Not less than 20
Average Shingle Count per 3 Bundles	64
Average Coverage per 3 Bundles	98.4 sq. ft.



Applicable Standards and Codes

- CSA A123.5
- ASTM D3462
- ASTM D228
- ASTM D3018 (Type 1)
- ICC-ES AC438*
- ASTM D3161 (Class F Wind Resistance)
- ASTM D7158 (Class H Wind Resistance)
- ASTM E108/UL 790 (Class A Fire Resistance)
- PRI ER 1378E01



OAKRIDGE®

Shingles



Brownwood¹



* See actual warranty for complete details, limitations and requirements.
 ‡ 40-Year Limited Warranty on commercial projects.
 †† 177 KM/H (110 MPH) is standard with 4-nail application. 209 KM/H (130 MPH) is applicable only with 6-nail application and Owens Corning® Starter Shingle products application along eaves and rakes in accordance with installation instructions.
 † Owens Corning testing against competing products with wide, single-layer nailing zones when following manufacturers' installation instructions and nailing in the middle of the allowable nailing zone.
 # International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.
 ^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.
 1 See Colour Disclaimer information for additional details.
 3 Shingles are algae resistant to control the growth of algae and discolouration.
 § This coverage is effective 01/01/2023; Installation must include use of an approved Owens Corning® Hip & Ridge Shingle product. See actual warranty for details.

OWENS CORNING
 OWENS CORNING ROOFING AND ASPHALT, LLC
 ONE OWENS CORNING PARKWAY
 TOLEDO, OHIO, USA 43659
 1-800-GET-PINK® | 1-800-438-7465
 www.owenscorning.ca

Pub. No. 10017465-G. Printed in Canada. November 2022.
 THE PINK PANTHER™ & © 1964–2022 Metro-Goldwyn-Mayer Studios Inc.
 All Rights Reserved. The colour PINK is a registered trademark of Owens Corning.
 © 2022 Owens Corning. All Rights Reserved.



Desert Tan¹

OAKRIDGE®

Shingles



Brownwood¹



Desert Tan¹



Driftwood¹



Estate Gray¹



Onyx Black¹



Teak¹

HIGH PERFORMANCE WITH BEAUTY TO MATCH

Oakridge® laminated shingles provide premium protection and impressive curb appeal. A full double layer in the nailing zone gives Oakridge® Shingles greater integrity and better holding power compared to shingles with single-layer nail zones. And the warm, inviting look in popular colours provides a step-up from traditional three-tab shingles.

Oakridge® Shingles are The Right Choice® for long-lasting performance and striking beauty.

Oakridge® Shingles offer:

- Limited Lifetime Warranty*† (for as long as you own your home)
- 177/209 KM/H (110/130 MPH) Wind Resistance Limited Warranty**
- StreakGuard™ Protection with a 25-year Algae Resistance Limited Warranty.³⁴



Don't let black streaks lower the value or curb appeal of your home.

Owens Corning blends specialized copper-lined granules, developed by 3M, a leading producer of roofing granules, into our colourful shingles. This helps resist blue-green algae growth.*



THE FINISHING TOUCH

OWENS CORNING® HIP & RIDGE SHINGLES

Owens Corning® Hip & Ridge Shingles are uniquely colour matched to Oakridge® Shingles. The multiple colour blends are only available from Owens Corning® Roofing and offer a finished look for the roof.



COLOUR DISCLAIMER

As colour experts, we know getting the shingle colour right is a big part of any roofing purchase. Due to printing colour variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your colour choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.



TruDefinition®
DURATION®
Shingles with SureNail® Technology



Driftwood¹






Brownwood¹

MORE THAN JUST A ROOF® IT'S PROTECTION FOR YOUR HOME.

Your home is the center of your world—where your memories are made. And we see it as our job to make the world a better place. So, Owens Corning is relentless about reimagining and creating materials that help protect your biggest investment, your home.

When you choose Owens Corning® roofing products, you get products and systems that deliver a material difference—a difference that can be seen in the curb appeal of your roof and experienced through premium performance, protecting your home and family.

Our commitment to quality offers you peace of mind that your new roof will stand the test of time. At Owens Corning, we know that your roof does more than just cover your house, it helps protect your future memories.



DEEP DIMENSION OUTSTANDING PERFORMANCE

With TruDefinition® Duration® Shingles, you don't have to sacrifice beauty for durability. Multiple granule colours and shadowing work together to create rich colour and depth, resulting in a truly unique and dramatic effect. Available in popular colours with bold, lively contrast and complementing shadow lines for greater dimension, they ensure your home's roof looks as spectacular as it performs.

Beyond the impressive curb appeal, TruDefinition® Duration® Shingles feature the outstanding grip and exceptional wind performance of SureNail® Technology.

Duration® Shingles offer:

- The high-performance of SureNail® Technology
- A TruDefinition® Colour Platform
- A Limited Lifetime Warranty*[†] for as long as you own your home
- The protection of a 209-KM/H (130-MPH)* wind warranty
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty^{2/§}
- Rated Class 3 for Impact Resistance³ and may qualify for a homeowner insurance discount⁴



Don't let black streaks lower the value or curb appeal of your home.

Owens Corning blends specialized copper-lined granules, developed by 3M, a leading producer of roofing granules, into our colourful shingles. This helps resist blue-green algae growth.*



ULTIMATE PROTECTION

**DURATION®
SERIES SHINGLES**

with SureNail® Technology
with Triple Layer Protection®

**THE PROOF IS IN
THE PERFORMANCE**

Proven performance is what truly sets Owens Corning® architectural shingles above the rest. We brought our Duration® Series shingles into the lab to test their performance against wide, single-layer nail zone shingles in three major strength tests. And in each test, the Triple Layer Protection® of SureNail® Technology outperformed the competition where it matters most—in the nailing zone.

Duration® Series Shingles vs. top two competitors*



**NAIL PULL-THROUGH
RESISTANCE**

Up to


**2.5X
BETTER**



**NAIL BLOW-THROUGH
RESISTANCE**

Up to

**9X
BETTER**



**DELAMINATION
RESISTANCE**

Up to

**2X
BETTER**

TruDefinition®
DURATION®

Shingles with SureNail® Technology



Brownwood¹



Desert Rose¹



Driftwood¹



Estate Gray¹



Onyx Black¹



Sierra Gray¹



Slatestone Gray¹



Teak¹




Williamsburg Gray¹

COLOUR DISCLAIMER

As colour experts, we know getting the shingle colour right is a big part of any roofing purchase. Due to printing colour variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your colour choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.

THERE'S A LINE BETWEEN A GOOD SHINGLE AND A GREAT SHINGLE.®

It's the nailing line on your shingles. The difference between a good shingle and a great shingle is having SureNail® Technology, only from Owens Corning.



Excellent Adhesive Power

Helps keep the shingle layers laminated.

SureNail®

Breakthrough Design

SureNail® Technology is the first and only reinforced nailing zone on the face of the shingle.

"No Guess" Wide Nailing Zone

This tough, engineered woven-fabric strip is embedded in the shingle to create an easy-to-see, strong, durable fastener zone.

Outstanding Grip


The SureNail® strip enhances the already amazing grip of our proprietary Tru-Bond®** sealant for exceptional wind resistance of a 209-KM/H (130-MPH) wind warranty.

Triple Layer Protection⁺

A unique "triple layer" of reinforcement occurs when the fabric overlays the two shingle layers, providing increased protection against "nail pull" from the wind.

Double the Common Bond


SureNail® features up to a 200% wider bond between the shingle layers in the nailing zone over standard shingles.





TOTAL PROTECTION SIMPLIFIED™

It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to perform in three critical areas. The Owens Corning® Total Protection Roofing System® gives you the assurance that all of your Owens Corning® roofing components are working together to help increase the performance of your roof.



Product Attributes

Warranty Length*

Limited Lifetime†
(for as long as you own your home)

Wind Resistance Limited Warranty*

209 KM/H (130 MPH)

Algae Resistance Limited Warranty*

25 Years^{2/§}

TRU PROtection® Non-Prorated Limited Warranty* Period

10 Years



TruDefinition® Duration® Shingles Product Specifications

Size	13¼" x 39⅜"
Application Exposure	5⅝"
Shingles per Bundle	Not less than 20
Average Shingle Count per 3 Bundles	64
Average Coverage per 3 Bundles	98.4 sq. ft.

Applicable Standards and Codes

CSA A123.5

ASTM D3462

ASTM D228

ASTM D3018 (Type 1)

ICC-ES AC438[‡]

ASTM D3161 (Class F Wind Resistance)

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

UL 2218 (Class 3 Impact Resistance)[§]

FM 4473 (Class 3 Impact Resistance)[§]

PRI ER 1378E01

* See actual warranty for complete details, limitations and requirements.

‡ 40-Year Limited Warranty on commercial projects.

† Owens Corning testing against competing products with wide, single-layer nailing zones when following manufacturers' installation instructions and nailing in the middle of the allowable nailing zone.

** Tru-Bond® is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning Roofing® and Asphalt, LLC.

+ The amount of Triple Layer Protection® may vary on shingle-to-shingle basis.

International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.

1 See Colour Disclaimer information for additional details.

2 Shingles are algae resistant to control the growth of algae and discoloration.

3 Qualifying Owens Corning Hip & Ridge Shingles may be required to complete a UL 2218 and/or FM 4473 Class 3 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.

4 Homeowners should check with their insurance company to see if they qualify. SureNail® Technology is not a guarantee of performance in all weather conditions

§ This coverage is effective 01/01/2023; Installation must include use of an approved Owens Corning® Hip & Ridge Shingle product. See actual warranty for details.

For Patent information, please visit owenscorning.com/patents.

SureNail® Technology is not a guarantee of performance in all weather conditions.



OWENS CORNING ROOFING AND ASPHALT, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, USA 43659

1-800-GET-PINK®
www.owenscorning.ca



TruDefinition®
WeatherGuard® HP Shingles
Impact-Resistant Shingles in TruDef® Colors



Brownwood†

TruDefinition® **WeatherGuard® HP Shingles** are a component of the Owens Corning™ Total Protection Roofing System.™^

Stands up to the elements. Stands out in your neighborhood.

TruDefinition® WeatherGuard® HP Impact-Resistant Shingles are an excellent choice for homeowners concerned with the effect of severe weather on their roof. Unlike standard shingles, TruDefinition® WeatherGuard® HP Shingles are engineered with an integrated polymeric backing material that allows the shingle to meet one of the industry's highest ratings for impact resistance. In addition, they are constructed with multiple granule colors and shadowing for a unique and dramatic effect. So you can rest assured that your home will stand up to Mother Nature and still look its best.



Estate Gray†

Beauty designed to last a lifetime.




TruDefinition® WeatherGuard® HP Shingles are specially formulated to provide great contrast and dimension to any roof. When paired with WeatherGuard® HP Hip & Ridge Shingles,¹ they offer beauty and performance that homeowners will enjoy before, during and after the storm.

- Patented^{^^} composite construction and integrated polymeric backing for excellent performance
- Meets UL 2218, Class 4 Impact Resistance
- TruBond[®] sealant stands up to high winds
- Available in popular colors with bold, lively contrast and complementing shadow lines for greater dimension
- Limited Lifetime Warranty^{*/**}
(for as long as you own your home)
- 110/130-MPH Wind Resistance Limited Warranty^{*/‡}
- Algae Resistance Limited Warranty*

High performance. Low insurance costs.**



TruDefinition® WeatherGuard® HP Shingles provide the strength and protection that can give you and your family peace of mind. They can also help you save on deductible costs and may help you qualify for insurance premium discounts.**



Holds up under pressure.

Underwriters Laboratories (UL) has one of the most demanding standards for testing the impact resistance of shingles, and TruDefinition® WeatherGuard® HP Shingles have achieved its highest rating – UL 2218, Class 4.


This test determines the amount of stress a newly manufactured roofing shingle can withstand without cracking. It also rates the shingle's performance. Here's how it works:

- Four different-sized steel balls are used to simulate the force of free-falling hailstones
- Shingles are struck twice in the same spot to test impact resistance
- A class rating is assigned to signify resistance to a particular-size steel ball – the higher the class rating, the greater the resistance

Class 1	1¼" steel ball
Class 2	1½" steel ball
Class 3	1¾" steel ball
Class 4	2" steel ball

Tough, yet easy to install.

In addition to their best-in-class impact-resistance rating, TruDefinition® WeatherGuard® HP Shingles stand up to 130-MPH winds.*/* They're also easy to install and handle because they resist scuffing and marking during hot-weather installations, unlike rubber-modified shingles.




^^WeatherGuard® HP U.S. Patent #6,228,785.

Total Protection Roofing System™[^] for UL 2218, Class 4 Impact-Resistant Shingles



It takes more than just TruDefinition® WeatherGuard® HP Shingles to protect your home. It takes an integrated system of components and layers designed to withstand the forces of nature outside while controlling temperature and humidity inside.

The Total Protection Roofing System™[^] depicted below is specially designed to give you the assurance that all your required Owens Corning™ Roofing Components† are working together to help increase the performance of your roof – and to enhance the comfort and enjoyment of those who live beneath it.



● **Optional Owens Corning™ products designed to support the Total Protection Roofing System™[^]**

- Illuminator® Tube Skylight
- PINK® Fiberglas™ Blown-In Insulation
- raft-R-mate® Attic Rafter Vent

[^] Excludes non-Owens Corning™ Roofing Products such as flashing, fasteners and wood decking.

† 130 MPH is applicable only with 6-nail application for TruDefinition® WeatherGuard® HP Shingles. To maintain the 130-MPH Wind Resistance Limited Warranty, each WeatherGuard® HP Hip & Ridge Shingle must be hand-sealed. Failure to hand-seal WeatherGuard® HP Hip & Ridge Shingles will reduce wind warranty to 110 MPH. Use of shingle-over ridge vents will affect the impact resistance classification of the WeatherGuard® HP Hip & Ridge Shingles; use off-ridge ventilation as an alternative. Refer to the installation instructions for complete details.

Product Attributes

Warranty Length*

Limited Lifetime^{††} (for as long as you own your home)

Wind Resistance Limited Warranty*

110/130 MPH[†]

Algae Resistance Limited Warranty*

10 Years

Tru PROtection® Non-Prorated Limited Warranty* Period

10 Years

TruDefinition® WeatherGuard® HP Shingles Product Specifications

Nominal Size	13¼" x 39%"
Exposure	5⅝"
Shingles per Square	64
Bundles per Square	3
Coverage per Square	98.4 sq. ft.

WeatherGuard® HP Hip & Ridge Product Specifications

Exposure	5"	6"
Nominal Size	12" x 36"	12" x 36"
Piece Size	12" x 12"	12" x 12"
Shingles per Bundle	26	22
Pieces per Shingle/Bundle	3/78	3/66
Lineal Coverage per Bundle	32.5 ft.	33 ft.

Applicable Standards and Codes

UL 2218, Class 4 Impact ¹	ASTM D 3018, Type 1
ASTM D 3462	ASTM D 228
ASTM E 108, Class A Fire	UL 790, Class A
ASTM D 3161, Class F Wind	ASTM D 7158, Class H Wind ²

* See actual warranty for complete details, limitations and requirements.

† Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

[^] Excludes non-Owens Corning™ Roofing Products such as flashing, fasteners and wood decking.

^{††} Homeowners should check with their insurance company to see if they qualify.

† 130 MPH is applicable only with 6-nail application for TruDefinition® WeatherGuard® HP Shingles. To maintain the 130-MPH Wind Resistance Limited Warranty, each WeatherGuard® HP Hip & Ridge Shingle must be hand-sealed. Failure to hand-seal WeatherGuard® HP Hip & Ridge Shingles will reduce wind warranty to 110 MPH. Use of shingle-over ridge vents will affect the impact resistance classification of the WeatherGuard HP Hip & Ridge Shingles; use off-ridge ventilation as an alternative. Refer to the installation instructions for complete details.

^{†††} 40-Year Limited Warranty on commercial projects.

¹ WeatherGuard HP® Hip & Ridge Shingles are required to complete UL 2218, Class 4 Impact-Resistant Roof System.

² Not applicable for WeatherGuard® HP Hip & Ridge Shingles.



OWENS CORNING ROOFING AND ASPHALT, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, USA 43659

1-800-GET-PINK®
www.roofing.owenscorning.com

Pub. No. 10018395. Printed in U.S.A. April 2013. THE PINK PANTHER™ & © 1964–2013 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. © 2013 Owens Corning. All Rights Reserved.

(Houston, Irving, Memphis)

Owens Corning™ Roofing Preferred Contractors are independent contractors and are neither affiliates nor agents of Owens Corning Roofing and Asphalt, LLC, or its affiliated companies.